PACENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From	the	INI	TERN	ΙΔΤ	IONAL	RU	RFAL

To:

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202

in its capacity as elected Office

Date of mailing (day/month/year)								
15 January 2001 (15.01.01)								

International application No.
PCT/GB00/01813

International filing date (day/month/year) 11 May 2000 (11.05.00) Applicant's or agent's file reference 8.41.69960/001

ETATS-UNIS D'AMERIQUE

Priority date (day/month/year)
11 May 1999 (11.05.99)

Applicant

HESSE, Robert, Henry et al

1.	. The designated Office is hereby notified of its election made:
	in the demand filed with the International Preliminary Examining Authority on:
	08 December 2000 (08.12.00)
	in a notice effecting later election filed with the International Bureau on:
2.	. The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).
	<u> </u>

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Juan Cruz

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	TI	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
Cυ	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
Į.							

In ational Application No PCT/GB 00/01813

A CLASSII	FICATION OF SUBJECT M	MATTER			4C1D17/02
TPC 7	CD/J9/00	L0/J41/00	A61K31/5	75 C07J51/00	A61P1//UZ
• • •	A61P19/08	A61P37/06	A61P29/0	D A61P35/00	.A61P21/00
1	A61P9/10	A61P5/20	A61P17/0	A61P35/00 A61P9/12	A61P19/02
According to	International Patent Class				
B. FIELDS	SEARCHED cumentation searched (cla	and antina dustom tolla	word by classificate	n switchold)	
Minimum do	CO7J A61K	A61P	MAGG BY CLESSATIONERS	·	
					•
Documental	non searched other than mi	nimum documentation	to the extent that sa	ich documents are included t	1 the (leids searched
			•		
1	_				
Electronic d	ale base consulted during t	he international search	h (name of data bas	e and, where practical, searc	h (ennsused)
CHEM VI	RS Data FPO-TI	nternal WPI	Data PAJ	, BEILSTEIN Data	1
CHEM A	os vaca, cio i	ricernar, mr	baca, in	, beiestein bes	•
1					
ļ					
		a an observe			
	ENTS CONSIDERED TO B	· 		····	
Category *	Citation of document, with	h indication, where app	propriate, of the rele	vaut bassages	Relevant to claim No.
					
A	CHEMICAL AB	STRACTS, vol	. 131. no.	8.	1-21
· · ·		999 (:1999-08		•	
Į.	Columbus, O				
]	abstract no				
		JOANNE Ć. ET	AL: "Est	rone	
ŧ		myeloid cel			
i		17.betahyd			
1		se in modula			
	XP002147254		orng nemep		
1	abstract				
		TOL. (N. Y.)	(1000) 2	7/3)	
1	451-460	10L. (N. 1.)	(1997), 6	,,,	
İ	451-400 ,				
Į.		•			
	ļ ·		_	/	
		•	•		
					ŀ
1					
Į					
l					(
	<u> </u>			· · · · ·	
X Furti	her documents ere listed in I	the continuation of box	E C.	X Patent family member	are listed in annex.
* Special ca	tegories of cited documents	i;			
				or priority date and not in	atter the international filling date conflict with the application but
	ant defining the general state lered to be of particular relev		A	cited to understand the printention	rinciple or theory underlying the
"E" earlier o	Socument but published on o		al		evance; the distined invention
Ming d	late int which may throw doubts:	oo ododki olehmis	•	cannot be considered no	vel or cannot be considered. to
which	is cited to establish the publ	lication date of enother	· _	involve an inventive stap Y" document of particular rek	when the document is taken alone Wance: the claimed invention
	h or other apacial reason (as	•		cannot be considered to	Involve an inventive slep when the
other	ent referring to an oral disclo means	емпа, пен. Охиваной с	Ją.	ments, such combination	ith one or more other such docu- being obvious to a person skilled
"P" docume	and published prior to the inte	emational filing date be	ua	in the art.	
	an the priority date daimed		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	" document member of the	<u> </u>
Late of the	actual completion of the inte	maidheileaich		Date of malling of the infe	imanous) searca report
1:	8 September 200	0	1	28/09/2000	.
MAUTHE BANG O	nating address of the ISA European Patent Office	, P.B. 5816 Patentisan	.2	Authorized officer	
	NL - 2280 HV Filewijk		-		-
1	- Tel. (+31-70) 340-204 Fax: (-31-70) 340-301			Watchorn, F	•

In ational Application No PCT/GB 00/01813

A. CLASSI	FICATION OF SUBJECT MATTER A61P11/Q6 A61P25/28 A61	P15/18 A61P7/02 A61F	23/06			
According to	o International Palent Classification (IPC) or to both national	classification and IPC	·			
B. FIELDS	SEARCHED					
Minimum de	ocumentation searched (classification system followed by d	assfication symbols)				
		•.	•			
Documenta	tion searched other than minimum documentation to the exte	ent that such documents are included in the lields a	searched .			
Electronic d	lata base consulted during the international search (name o	Ildata base and, where practical, search terms use	d)			
		• ! :				
	ENTS CONSIDERED TO BE RELEVANT					
Category *	Citation of document, with indication, where appropriate,	of the relevant passages	Relevant to daim No.			
A	CHEMICAL ABSTRACTS, vol. 120 6 June 1994 (1994-06-06) Columbus, Ohio, US; abstract no. 290344,	no. 23,	1-21			
	LAJEUNESSE, DANIEL: "Effect	of	•			
	17.betaestradiol on the hur osteosarcoma cell line MG-63 XP002147255					
	abstract & BONE MINER. (1994), 24(1),	1–16 ,				
	· —	-/	·			
·						
		<u>.</u>	•			
X Funth	er documents are listed in the continuation of box C.	Y Patent tamily marribers are listed	in annex.			
* Special cat	egories of cited documents:	T' later firm mare or bilatered attacks.				
"A" document	nt defining the general state of the art which is not pred to be of particular relovance	or profity date and not in conflict with called to understand the principle or the	the application but			
filing da		"X" document of particular relevance; the ci cannot be considered novel or cannot	Be considered to			
which b	nt which may throw doubts on priority claim(s) or a clad to establish the publication date of another or other special reason (as specified)	"Y" document of particular relovance; the claimed invention cannot be considered to involve an inventive step when the				
Other m	nt referring to an oral disclosulte, use, exhibition or warms if published prior to the international filing date but an the priority date claimed	document is combined with one or mo mants, such combination being obvious in the arc. "&" document member of the same patent f	re other such docu- is to a person skilled			
	ctual completion of the international search	Date of mailing of the international sea				
18	September 2000					
Name and m	uiing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk	Authorized officer				
	Tel. (431-70) 340-2040, Tr. 31 651 apo ni. Fax: (-31-70) 340-3016	Watchorn, P				

PCT/GB 00/01813

C-(CONLINE	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Calegory	Citation of document, with indication, where appropriate, of the relevant passages	
Α .	CHEMICAL ABSTRACTS, vol. 119, no. 7, 16 August 1993 (1993-08-16) Columbus, Ohio, US; abstract no. 63468, ESCALEIRA, MARIA TERESA F. ET AL: "Sex steroids induced up-regulation of 1,25-dihydroxyvitamin D3 receptors in T 47D breast cancer cells" XP002147256 abstract & J. STEROID BIOCHEM. MOL. BIOL (1993), 45(4), 257-63,	1-21
Α .	CHEMICAL ABSTRACTS, vol. 116, no. 25, 22 June 1992 (1992-06-22) Columbus, Ohio, US; abstract no. 248829, LIEL, YAIR ET AL: "Evidence that estrogens modulate activity and increase the number of 1,25-dihydroxyvitamin D receptors in osteoblast-like cells (ROS 17/2.8)" XPO02147257 abstract & ENDOCRINOLOGY (BALTIMORE) (1992), 130(5), 2597-601,	1-21
A	US 3 562 260 A (RUGGIERI PIETRO DE ET AL) 9 February 1971 (1971-02-09) column 2, line 8 - line 26; examples 3,4,6,11,21	1-21
A	US 3 717 627 A (LAING S ET AL) 20 February 1973 (1973-02-20) column 1, paragraph 2; example 4	1-21
		· .

Information on patent family members

In .stional Application No PCT/GB 00/01813

Patent document cited in search repor	ι	Publication date		Patent family member(s)	Publication date	
US 3562260	A	09-02-1971	US	3494918 A	10-02-1970	
us 3717627	A	20-02-1973	CH	568335 A	31-10-1975	
00 07 17 10 1			DE	1926574 A	24-09-1970	
			DK ·	125200 B	15-01-1973	
,			FR	2009257 A	30-01-1970	
			GB	1267915 A	22-03-1972	
			JР	50011911 B	07-05-1975	
		•	NL	6907883 A	26-11-1969	

PCT/GB00/01813

WO 00/68246

- 62 -

Claims:

1. Compounds of formula (I)

in which:

20

25

30

35

R¹ and R², which may be the same or different, each represents a lower alkyl, alkenyl or alkynyl group;

 R^3 represents a methyl group having α - or β -configuration;

R⁴ represents a hydrogen atom or an etherifying or esterifying group;

R⁵ represents a hydrogen atom, a hydroxyl group or a lower alkoxy group;

X represents a group OR⁴, wherein R⁴ is as defined above, or a group NR⁶R⁷ wherein R⁶ represents a hydrogen atom, an aliphatic or araliphatic organic group, or an acyl group comprising an aliphatic, araliphatic or aryl organic group linked to the nitrogen atom by way of a carbonyl group; and R⁷ is a hydrogen atom or a lower alkyl group;

Y represents a lower alkylene, alkenylene or alkynylene group optionally substituted by a hydroxyl, etherified hydroxyl or esterified hydroxyl group; and

the dotted lines signify that double bonds may be present at the 16(17)-position and/or either at the 6(7)- and 8(9)-positions or at the 7(8)-position.

2. Compounds of formula (I) as claimed in claim 1

5

10

25

30

wherein R^1 and R^2 are independently selected from C_{1-6} alkyl groups and C_{2-7} alkenyl and alkynyl groups.

- 3. Compounds of formula (I) as claimed in claim 2 wherein R^2 and R^2 are straight chain groups.
 - 4. Compounds of formula (I) as claimed in claim 2 wherein R¹ and R² are selected from methyl, ethyl and propargyl groups.
- 5. Compounds of formula (I) as claimed in any of the preceding claims wherein R a hydrogen atom, a silyl group, a C₁₋₆ alkyl group optionally interrupted by one or more oxygen atoms or substituted by a lower cycloalkyl group, a cyclic ether group, a C₁₋₆ alkanoyl group, an aroyl group, a C₁₋₆ alkane sulphonyl or halogenated methane sulphonyl group, or an arene sulphonyl group.
- 20 6. Compounds of formula (I) as claimed in claim 5 wherein R' is a hydrogen atom.
 - 7. Compounds of formula (I) as claimed in claim 5 wherein R' is a metabolically labile group or a lower alkyl group.
 - 8. Compounds of formula (I) as claimed in any of the preceding claims wherein R⁵ represents a hydrogen atom or a methoxy group.
 - 9. Compounds of formula (I) as claimed in any of the preceding claims wherein X represents a hydroxyl group or a group of formula NR⁶R⁷ wherein:
- R⁶ is a C₁₋₆ alkyl group, C₆₋₁₂ carbocyclic aryl C₁₋₄
 35 alkyl group, C₁₋₆ alkanoyl group, C₆₋₁₂ carbocyclic aryl
 C₂₋₆ alkanoyl group, C₇₋₁₃ carbocyclic aroyl group or any
 of the preceding groups substituted by one or more halo,

WO 00/68246 PCT/GB00/01813

- 64 -

 C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} alkanoyl, C_{1-4} alkylamino, di $(C_{1-4}$ alkyl)amino, nitro, carbamoyl or C_{1-4} alkanoylamino substituents; and

 R^7 is a hydrogen atom or a C_{1-6} alkyl group.

5

10. Compounds of formula (I) as claimed in claim 9 wherein X represents a hydroxyl, amino, methylamino, ethylamino, N-ethyl-N-methylamino, acetylamino, benzamido or phenylacetylamino group.

10

20

- 11. Compounds of formula (I) as claimed in any of the preceding claims wherein Y contains up to 7 carbon atoms and up to 3 multiple bonds.
- 15 12. Compounds of formula (I) as claimed in claim 11 wherein Y is a straight chain C_{2-6} group.
 - 13. Compounds of formula (I) as claimed in any of the preceding claims wherein Y is substituted by a hydroxyl, etherified hydroxyl or esterified hydroxyl group positioned α -, β or γ to the group $-C(R^1)(R^2).X$ or α to any triple bond present in the group Y.
- 14. Compounds as claimed in claim 11 wherein Y is selected from ethylene, trimethylene, tetramethylene, vinylene, buta-1,3-dienylene, prop-2-ynylene and 1-hydroxyprop-2-ynylene.
- 15. Compounds of formula (I) as claimed in claim 1
 30 wherein:

 R^1 and R^2 , which may be the same or different, each represents a lower alkyl group;

 R^5 represents a hydrogen atom; and X represents a group NR^6R^7 wherein R^7 is hydrogen.

35

```
16. The compounds:
```

```
25-acetylamino-3-hydroxy-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
           25-ethylamino-3-hydroxy-24-homo-19-nor-cholest-
 5
      1,3,5(10),16-tetraene;
           25-methylamino-3-hydroxy-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
           25-dimethylamino-3-hydroxy-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
10
           25-(N-ethyl-N-methylamino)-3-hydroxy-24-homo-19-
      nor-cholest-1,3,5(10),16-tetraene;
           25-acetylamino-3-methoxy-24-homo-19-hor-cholest-
      1,3,5(10),16-tetraene;
           25-acetylamino-3-ethoxy-24-homo-19-nor-cholest-
15
      1,3,5(10),16-tetraene;
           25-acetylamino-3-isobutoxy-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
           25-benzamido-3-hydroxy-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
20
           25-phenylacetylamino-3-hydroxy-24-homo-19-nor-
      cholest-1,3,5(10),16-tetraene;
           25-acetylamino-3-hydroxy-24-homo-19-nor-cholest-
      1,3,5(10)-triene;
25
           3,24-dihydroxy-24-propargyl-19-26,27-trisnor-
      cholest-1,3,5(10)-triene;
           2-methoxy-3,24-dihydroxy-24-propargyl-19,26,27-
      trisnor-cholesta-1,3,5(10)-triene;
           3,24-dihydroxy-20-epi-24-propargyl-19,26,27-
30
      trisnor-cholest-1,3,5(10)-triene;
           3,24-dihydroxy-24,24-bispropargyl-19-nor-chol-
      1,3,5(10),22-tetraene;
           2-methoxy-3,24-dihydroxy-24,24-bispropargyl-19-nor-
      chol-1,3,5(10),22-tetraene;
35
           3,24-dihydroxy-20-epi-24,24-bispropargyl-19-nor-
      chol-1,3,5(10),22-tetraene;
           3-hydroxy-25-amino-26,27-bishomo-19-nor-cholest-
```

```
1,3,5(10)-trien-23-yne;
            2-methoxy-3-hydroxy-25-amino-26,27-bishomo-19-nor-
       cholest-1,3,5(10)-trien-23-yne;
            3-hydroxy-20-epi-25-amino-26,27-bishomo-19-nor-
       cholest-1,3,5(10)-trien-23-yne;
  5
            3-hydroxy-25-amino-26,27-bishomo-19-nor-cholest-
       1,3,5(10)-triene;
            2-methoxy-3-hydroxy-25-amino-26,27-bishomo-19-nor-
       cholesta-1,3,5(10)-triene;
 10
            3-hydroxy-20-epi-25-amino-26,26-bishomo-19-nor-
      cholesta-1,3,5,(10)-triene;
            3-hydroxy-25-acetylamino-26,27-bishomo-19-nor-
      cholest-1,3,5(10)-trien-23-yne;
            2-methoxy-3-hydroxy-25-acetylamino-26,27-bishomo-
15
      19-nor-cholest-1,3,5(10)-trien-23-yne;
           3-hydroxy-20-epi-25-acetylamino-26,27-bishomo-19-
      nor-cholest-1,3,5(10)-trien-23-yne;
           3,22-dihydroxy-25-amino-26,27-bishomo-19-nor-
      cholest-1,3,5(10)-trien-23-yne;
20
           2-methoxy-3,22-dihydroxy-25-amino-26,27-bishomo-19-
      nor-cholest-1,3,5(10)-trien-23-yne;
           3,22-dihydroxy-20-epi-25-amino-26,27-bishomo-19-
      nor-cholest-1,3,5(10)-trien-23-yne;
           2-methoxy-3-hydroxy-24-homo-25-acetylamino-19-nor-
25
      cholest-1,3,5(10),16-tetraene;
           2-methoxy-3-hydroxy-24-homo-25-amino-19-nor-
      cholest-1,3,5(10),16-tetraene;
           2-methoxy-3-hydroxy-25-acetylamino-19-nor-cholest-
      1,3,5(10),16-tetraene;
30
           2-methoxy-3-hydroxy-25-amino-19-nor-cholest-
      1,3,5(10),16-tetraene;
           3-hydroxy-24-homo-25-acetylamino-19-nor-cholest-
      1,3,5(10),6,8,16-hexaene;
           3-hydroxy-24-homo-25-amino-19-nor-cholest-
35
      1,3,5(10),6,8,16-hexaene;
           3,25-dihydroxy-19-nor-cholest-1,3,5(10)-
      trien-23-yne;
```

35

```
3,25-dihydroxy-19-nor-cholest-1,3,5(10)-triene;
           2-methoxy-3,25-dihydroxy-19-nor-cholest-1,3,5(10)-
      trien-23-yne;
           3,25-dihydroxy-20-epi-19-nor-cholest-1,3,5(10)-
 5
      trien-23-yne;
           2-methoxy-3,25-dihydroxy-19-nor-cholest-1,3,5(10)-
           3,25-dihydroxy-20-epi 19-nor-cholest-1,3,5(10)-
      triene;
           3,25-dihydroxy-24,24a bishomo-19-nor-cholest-
10
      1,3,5(10),22;24(24a)-pentaene;
           25-amino-3-hydroxy-20-epi-24-homo-19-nor-cholest-
      1,3,5(10),16-tetraene;
           25-acetylamino-3-hydroxy-20-epi-24-homo-19-nor-
15
      cholest-1,3,5(10),16-tetraene;
           25-amino-3-hydroxy-20-epi-19-nor-cholest-
      1,3,5(10),16-tetraene;
           25-acetylamino-3-hydroxy-20-epi-24-homo-19-nor-
      cholest-1,3,5(10),16-tetraene;
           3-hydroxy-24-homo-25-acetylamino-19-nor-cholest-
20
      1,3,5(10),6,16-pentaene; and
           3-hydroxy-24-homo-25-amino-19-nor-cholest-
      1,3,5(10),6,16-pentaene.
      17. Active compounds of formula (I) as claimed in any
25
      preceeding claim for use in management of neoplastic
      disease; as agents to promote wound healing; in burn
      management; in treatment of bone diseases, autoimmune
      disease, host-graft reaction, transplant rejection,
      inflammatory diseases, neoplasias or hyperplasias,
30
      myopathy, enteropathy or spondylitic heart disease; in
      suppression of parathyroid hormone; in treatment of
      dermatological diseases, hypertension, rheumatoid
      arthritis, psoriatic arthritis, secondary
```

hyperparathyroidism, asthma, cognitive impairment or

senile dementia; in fertility control in either human or animal subjects; in management of disorders involving

WO 00/68246 PCT/GB00/01813

- 68 -

blood clotting; or in reduction of serum cholesterol.

5

10

15

- 18. The use of an active compound of formula (I) as claimed in any one of claims 1 to 16 for the manufacture of a medicament for use in management of neoplastic disease; as an agent to promote wound healing; in burn management; in treatment of bone diseases, autoimmune disease, host-graft reaction, transplant rejection, inflammatory diseases, neoplasias or hyperplasias, myopathy, enteropathy or spondylitic heart disease; in suppression of parathyroid hormone; in treatment of dermatological diseases, hypertension, rheumatoid arthritis, psoriatic arthritis, secondary hyperparathyroidism, asthma, cognitive impairment or senile dementia; in fertility control in either human or animal subjects; in management of disorders involving blood clotting; or in reduction of serum cholesterol.
- 19. Pharmaceutical compositions comprising an active compound of formula (I) as claimed in any one of claims 1 to 16 in admixture with one or more physiologically acceptable carriers or excipients.
- A method of treatment of a human or animal subject 25 in the management of neoplastic disease; to promote wound healing; in burn management; in treatment of bone diseases, autoimmune disease, host-graft reaction, transplant rejection, inflammatory diseases, neoplasias or hyperplasias, myopathy, enteropathy or spondylitic 30 heart disease; in suppression of parathyroid hormone; in treatment of dermatological diseases, hypertension, rheumatoid arthritis, psoriatic arthritis, secondary hyperparathyroidism, asthma, cognitive impairment or senile dementia; in fertility control; in management of 35 disorders involving blood clotting; or in reduction of serum cholesterol, which method comprises administering to said subject a therapeutically effective amount of an

active compound of formula (I) as claimed in any of claims 1 to 16.

21. A process for the preparation of a compound of formula (I) as defined in claim 1 which comprises reacting a compound containing a precursor for the desired 17-position side chain in one or more stages and with one or more reactants serving to form the said desired 17-position side chain, followed if necessary and/or desired by removal of any 0-protecting group.

PCT

74100 FOT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or age	nt's file reference		See Notific	cation of Transmittal of Internation	nal				
8.69960/0	001		FOR FURTHER ACTION		y Examination Report (Form PC					
Internationa	l appli	cation No.	International filing date (day/	/month/year)	Priority date (day/month/year)				
PCT/GB0	• •		11/05/2000		11/05/1999					
Internationa C07J9/00		nt Classification (IPC) or na	tional classification and IPC							
Applicant										
MARSDE	N, J	ohn, Christopher et al.								
		ational preliminary exami smitted to the applicant a		epared by this Int	ernational Preliminary Exam	ining Authority				
2. This F	REPO	RT consists of a total of	6 sheets, including this co	over sheet.		·				
b((s	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets.									
İ										
3. This re	eport	contains indications rela	ting to the following items:							
ı	\boxtimes	Basis of the report								
II		Priority								
Ш	\boxtimes	Non-establishment of o	pinion with regard to novelty, inventive step and industrial applicability							
IV		Lack of unity of invention	n							
V	⊠		nder Article 35(2) with rega ons suporting such stateme		entive step or industrial appl	licability;				
VI		Certain documents cite								
VII		Certain defects in the ir	iternational application							
VIII	\boxtimes	Certain observations or	the international application	on						
Date of sub	missic	on of the demand	Da	ate of completion o	f this report					
12/12/200	00		14	4.02.2001						
		g address of the internationa ning authority:	I Au	uthorized officer		SO ISO S MIENCUS				
	Euro D-80 Tel.	pean Patent Office 1298 Munich +49 89 2399 - 0 Tx: 523656 +49 89 2399 - 4465	epmu d	adenburger, C	19 2399 8276	A PROPERTY OF THE PROPERTY OF				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB00/01813

I.	Bas	is fth	rep	rt						
 This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed the report since they do not contain amendments (Rules 70.16 and 70.17).): Description, pages: 										
	1-61	1		as originally filed						
	Clai	ims, No	.:							
	1-21	1		as originally filed						
2.		With regard to the language , all the elements marked above were available or furnished to this Authority in the anguage in which the international application was filed, unless otherwise indicated under this item.								
	The	se elem	ents w	ere available or furnished to this Authority in the following language: , which is:						
		the lang	guage	of a translation furnished for the purposes of the international search (under Rule 23.1(b)).						
		the lang	guage	of publication of the international application (under Rule 48.3(b)).						
		the land		of a translation furnished for the purposes of international preliminary examination (under Rule 5.3).						
3.				nucleotide and/or amino acid sequence disclosed in the international application, the ninary examination was carried out on the basis of the sequence listing:						
		contain	ed in tl	ne international application in written form.						
		filed tog	gether	with the international application in computer readable form.						
		furnishe	ed sub	sequently to this Authority in written form.						
		furnishe	ed sub	sequently to this Authority in computer readable form.						
				t that the subsequently furnished written sequence listing does not go beyond the disclosure in all application as filed has been furnished.						
				t that the information recorded in computer readable form is identical to the written sequence en furnished.						
4.	The	amendi	ments l	have resulted in the cancellation of:						
		the des	criptio	n, pages:						
		the clai	-	Nos.:						
		the dra		sheets:						
5.		This rep	oort ha	s been established as if (some of) the amendments had not been made, since they have been						

considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6.	Add	itional observations, if ne	cessary	<i>/</i> :							
III.	Non	-establishment of opini	ion with	n regard	to novelty	, inventiv	ve step a	nd industr	ial applic	cability	
1. The questions whether the claimed invention appears to be novel, to involve an inventive st obvious), or to be industrially applicable have not been examined in respect of:								tive step	(to be no	n-	
	the entire international application.										
	×	claims Nos. 20 as to IA.									
be	caus	e:									
	⊠	the said international ap- not require an internation see separate sheet						the followin	g subject	matter w	hich does
		the description, claims o that no meaningful opini					ents belov	w) or said c	laims No	s. are so	unclear
		the claims, or said claim could be formed.	s Nos.	are so in	adequatel	y supporte	ed by the	description	that no r	meaningfu	opinion
		no international search	eport h	as been e	establishe	d for the s	aid claim	s Nos			
2.	and	eaningful international pr /or amino acid sequence ructions:	elimina listing t	ry examir o comply	nation repo with the s	ort cannot standard p	be carrie rovided f	d out due to or in Annex	o the failu C of the	ure of the Administ	nucleotide rative
		the written form has not	been fu	rnished o	or does no	t comply v	with the s	tandard.			
		the computer readable f	orm has	not bee	n furnishe	d or does	not comp	ly with the	standard		
V.		soned statement under tions and explanations					ty, inven	tive step o	r industı	rial applic	cability;
1.	Stat	ement									
	Nov	relty (N)	Yes: No:	Claims Claims	1-21						
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-21						
	Indu	ustrial applicability (IA)	Yes:	Claims	1-19,21						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB00/01813

No: Claims

2. Citations and explanations see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

III. Non-establishment of opinion

Claim 20 relates to subject-matter considered by this Authority to be covered by the provisions of Rule 67.1(iv) PCT. Consequently, no opinion will be formulated with respect to the industrial applicability of the subject-matter of this claim (Article 34(4)(a)(i) PCT).

V.2 Reasoned statement; Citations and explanations

- Having regard to the fact that the prior art documents cited in the ISR neither 1. disclose the compounds of claim 1 or very close analogs nor relate to compounds which possess the same spectrum of activities, the subject-matter of claims 1-21 can be recognised as novel and inventive vis-à-vis this state of the art. It is obviously industrially applicable (except claim 20).
- 2. For the assessment of claim 20 on the question whether it is industrially applicable, no unified criteria exist in the PCT Contracting States. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.

VIII. Certain observations

- It is reminded that the breadth of the main claim should be such that it represents 1. a reasonable generalisation over the examples provided, and such that every compound falling within its scope actually provides a solution to the problem underlying the invention.
 - In the present case, having regard to the limited variety of the compounds effectively prepared and to the absence of any concrete test data in the description, it is questionable whether the scope of claims 1-21 is reasonable and justified. Especially the definitions of R⁴, R⁶ and Y appear to be to broad and widely speculative.

Thus the Applicant should ensure that principal claim 1 covers only compounds which actually solve the given problem.

- 2. The relative term "lower" used in several claims has no well-recognised meaning and leaves a doubt as to the meaning of the technical features to which it refers, thereby rendering the definition of the subject-matter of these claims unclear. The number of carbon atoms should be specified according to the description.
- 3. Claim 16 comprises all the features of claim 1 and is therefore not appropriately formulated as a claim dependent on the latter (Rule 6.4 PCT).
- The term "active" used in the expression "active compound(s) of formula (I)" in 4. claims 17-20 should be deleted to avoid any ambiguity as to the scope of these claims. The question arise whether this term is intended to have a limiting function, and that not all compounds of formula (I) are actually active (see above VIII.1). If protection is also sought for intermediate compounds, such compounds should be clearly distinguished from the "active" compounds.